

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	8	(prefetch\$3 near4 buffer\$3) near4 ((branch\$3 or jump\$3) near4 (slot\$1 or entr\$3 or position\$1 or area\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/25 08:05
L2	12	(prefetch\$3 near4 buffer\$3) with ((branch\$3 or jump\$3) near4 (slot\$1 or entr\$3 or position\$1 or area\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/25 08:07
L3	47	(prefetch\$3 near4 buffer\$3) same ((branch\$3 or jump\$3) near4 (slot\$1 or entr\$3 or position\$1 or area\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/25 08:09
L4	9	vliw near4 (branch near4 (slot\$1 or entr\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/25 10:37
L5	1	vliw with (branch near4 (slot\$1 or entr\$3) near4 ((instruction\$1 or prefetch\$3) near4 (buffer\$1 or cache\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/25 10:37
L6	1	vliw same (branch near4 (slot\$1 or entr\$3) near4 ((instruction\$1 or prefetch\$3) near4 (buffer\$1 or cache\$1)))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/25 10:37
L7	1	vliw same (branch with ((slot\$1 or entr\$3) near4 ((instruction\$1 or prefetch\$3) near4 (buffer\$1 or cache\$1))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/25 10:38
L8	1	vliw same (branch same ((slot\$1 or entr\$3) near4 ((instruction\$1 or prefetch\$3) near4 (buffer\$1 or cache\$1))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/25 10:38
L9	2	vliw same (branch same ((slot\$1 or entr\$3) with ((instruction\$1 or prefetch\$3) with (buffer\$1 or cache\$1))))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/25 10:38
L11	2	(("6154833") or ("5996071")).PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/25 10:59
L15	174	(712/238).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/25 11:06
L16	257	(712/237).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/25 11:06

S1	167	(712/238).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/25 07:56
S2	252	(712/237).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/29 15:29
S3	2	(branch\$3 near4 ((target or address or location) adj2 (buffer\$1 or cache\$1 or tabl\$3))) near4 (pipelin\$3 near4 stall\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/12 14:06
S4	20	(branch\$3 near4 ((target or address or location) adj2 (buffer\$1 or cache\$1 or tabl\$3))) same (pipelin\$3 near4 stall\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/29 15:37
S5	3	(branch\$3 near4 ((target or address or location) adj2 (buffer\$1 or cache\$1 or tabl\$3))) with (pipelin\$3 near4 stall\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/04/29 15:37
S6	173	(712/238).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/12 14:05
S7	257	(712/237).CCLS.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/12 14:05
S8	5	(branch\$3 near4 ((target or address or location) adj2 (buffer\$1 or cache\$1 or tabl\$3))) with (pipelin\$3 near4 stall\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/12 14:06
S9	17	(branch\$3 near4 ((target or address or location) adj2 (buffer\$1 or cache\$1 or tabl\$3))) with (stall\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/12 14:06
S10	1	(branch\$3 near4 ((target or address or location) adj2 (buffer\$1 or cache\$1 or tabl\$3))) near4 (allocat\$3 or assign\$3 or mak\$3 or creat\$3)) with (stall\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/12 14:07
S11	2	(branch\$3 near4 ((target or address or location) adj2 (buffer\$1 or cache\$1 or tabl\$3))) near4 (allocat\$3 or assign\$3 or mak\$3 or creat\$3)) same (stall\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/12 14:08
S12	89	(branch\$3 near4 ((target or address or location) adj2 (buffer\$1 or cache\$1 or tabl\$3))) near4 (allocat\$3 or assign\$3 or mak\$3 or creat\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/12 14:08

S13	1	(branch\$3 near4 ((target or address or location) adj2 (buffer\$1 or cache\$1 or tabl\$3)) near4 (allocat\$3 or assign\$3 or mak\$3 or creat\$3)) with (prefetch\$3 adj1 (buffer\$1 or cach\$3 or memor\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/12 14:10
S14	4	(branch\$3 near4 ((target or address or location) adj2 (buffer\$1 or cache\$1 or tabl\$3)) near4 (allocat\$3 or assign\$3 or mak\$3 or creat\$3)) same (prefetch\$3 adj1 (buffer\$1 or cach\$3 or memor\$3))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/07/12 14:10



Welcome United States Patent and Trademark Office.

Advanced Search

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT



OPTION 1

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	in All Fields	
<input type="text" value="AND"/>	<input type="text"/>	in All Fields
<input type="text" value="AND"/>	<input type="text"/>	in All Fields
<input type="button" value="Run Search"/>	<input type="button" value="Reset"/>	



OPTION 2

Enter keywords, phrases, or a Boolean expression

<pre>(prefetch <near/1> (buffer <or> cache)) <sentence> ((branch <or> jump) <near/4> prediction)</pre>	
<input type="button" value="Run Search"/>	<input type="button" value="Reset"/>

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications

☐ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference Proceedings
- ☒ IEE Conference Proceedings
- ☒ IEEE Standards

» Other Resources (Available for Purchase)

- ☒ IEEE Books

» Select date range

☐ Search latest content update (25 Jul 2005)

- ☐ From year to

» Display Format

- ☐ Citation ☐ Citation & Abstract

» Organize results

- Maximum
- Display results per page
- Sort by
- In order



Welcome United States Patent and Trademark Office

Advanced Search

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT



OPTION 1

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	in All Fields	
AND	<input type="text"/>	in All Fields
AND	<input type="text"/>	in All Fields
<input type="button" value="Run Search"/> <input type="button" value="Reset"/>		



OPTION 2

Enter keywords, phrases, or a Boolean expression

<pre>(prefetch <near/1> (buffer <or> cache) <paragraph> ((branch <or> jump) <near/4> prediction)</pre>	
<input type="button" value="Run Search"/> <input type="button" value="Reset"/>	

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications

☐ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference Proceedings
- ☒ IEE Conference Proceedings
- ☒ IEEE Standards

» Other Resources (Available for Purchase)

- ☒ IEEE Books

» Select date range

☐ Search latest content update (25 Jul 2005)

☐ From year
to

» Display Format

☒ Citation ☐ Citation & Abstract

» Organize results

Maximum Display results per pageSort by In order[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE – All Rights Reserved

indexed by
 Inspec



Welcome United States Patent and Trademark Office

[Advanced Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	In All Fields	
<input type="text" value="AND"/>	<input type="text"/>	In All Fields
<input type="text" value="AND"/>	<input type="text"/>	In All Fields
<input type="button" value="Run Search"/> <input type="button" value="Reset"/>		

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

<pre>(prefetch <sentence> (buffer <or> cache)) <paragraph> ((branch <or> jump) <sentence> prediction)</pre>	
<input type="button" value="Run Search"/> <input type="button" value="Reset"/>	

» Note: You may use the search operators <and> or <or> without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications☐ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference Proceedings
- ☒ IEE Conference Proceedings
- ☒ IEEE Standards

» Other Resources (Available for Purchase)

- ☒ IEEE Books

» Select date range

- ☐ Search latest content update (25 Jul 2005)

- ☐ From year to

» Display Format

- ☐ Citation
- ☐ Citation & Abstract

» Organize results

- Maximum
- Display results per page
- Sort by
- In order

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE ~ All Rights Reserved



Welcome United States Patent and Trademark Office

[Advanced Search](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)[SUPPORT](#)**OPTION 1**

Enter keywords or phrases, select fields, and select operators

<input type="text"/>	in All Fields	
<input type="text" value="AND"/>	<input type="text"/>	in All Fields
<input type="text" value="AND"/>	<input type="text"/>	in All Fields
<input type="button" value="Run Search"/> <input type="button" value="Reset"/>		

**OPTION 2**

Enter keywords, phrases, or a Boolean expression

<pre>(prefetch <sentence> (buffer <or> cache)) <paragraph> ((branch <or> jump) <sentence> target <sentence> (buffer <or> cache))</pre>	
<input type="button" value="Run Search"/> <input type="button" value="Reset"/>	

» Note: You may use the search operators <and> or <or>
without the start and end brackets <>.

» Learn more about [Field Codes](#), [Search Examples](#), and [Search Operators](#)

» Publications☐ Select publications

- ☒ IEEE Periodicals
- ☒ IEE Periodicals
- ☒ IEEE Conference Proceedings
- ☒ IEE Conference Proceedings
- ☒ IEEE Standards

» Other Resources (Available for Purchase)

- ☒ IEEE Books

» Select date range☐ Search latest content update (25 Jul 2005)

☐ From year
to

» Display Format

☐ Citation ☐ Citation & Abstract

» Organize results

Maximum
Display results per page
Sort by
In order

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2005 IEEE – All Rights Reserved